

Certificates for Chase Plager

Basic Information

First Name	Chase
Last Name	Plager
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D05 - Materials Laboratory	Daniel Gingras	50 Higuera Street, San Luis Obispo, CA 93401	5	Lab 1

Test Methods

California Test (CT) Certifications

Total 6 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 204 LL, PL, PI	2025-03-19	Active	Allen Oliver	Lab 1	(No comments)
CT 211 LA Rattler	2025-05-14	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 234 Uncompacted void - Fine Aggregates	2025-05-14	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 301 "R" Value	2025-03-19	Active	Allen Oliver	Lab 1	(No comments)
CT 389 Hamburg Wheel-Track	2025-05-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 643 Resistivity and pH Measurements	2025-03-19	Active	Allen Oliver	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 3 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T96 L.A. Rattler	2025-05-14	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2025-05-14	Active	Sarbjit Grewal	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2025-05-14	Active	Sarbjit Grewal	Lab 1	(No comments)