

## Certificates for Ramiro Torres Mendoza

### Basic Information

<b>First Name</b>	Ramiro
<b>Last Name</b>	Torres Mendoza
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-05-03	Active	Gabriela Lopez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-05-03	Active	Gabriela Lopez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-05-03	Active	Gabriela Lopez	(No lab)	(No comments)