

Certificates for Sarmad Dalal

Basic Information

First Name	Sarmad
Last Name	Dalal
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **12** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-06-07	Active	Brian Ellis	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2027-06-14	Active	Brian Ellis	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-06-07	Active	Brian Ellis	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total **13** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-06-07	Active	Brian Ellis	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-06-07	Active	Brian Ellis	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-06-07	Active	Brian Ellis	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-06-07	Active	Brian Ellis	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-06-07	Active	Brian Ellis	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-06-07	Active	Brian Ellis	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2027-05-23	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-06-07	Active	Brian Ellis	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-06-07	Active	Brian Ellis	(No lab)	(No comments)