

Certificates for Mario Vital

Basic Information

First Name	Mario
Last Name	Vital
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **8** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2029-01-11	Active	Sarmad Dalal	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2029-01-11	Active	Sarmad Dalal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2029-01-11	Active	Sarmad Dalal	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2029-01-11	Active	Sarmad Dalal	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2029-01-11	Active	Sarmad Dalal	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2029-01-11	Active	Sarmad Dalal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2029-01-11	Active	Sarmad Dalal	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2029-01-11	Active	Sarmad Dalal	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					