

Certificates for Chad Senior

Basic Information

First Name	Chad
Last Name	Senior
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 32 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	David Jones	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	David Jones	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	David Jones	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-05-10	Expired	David Jones	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2018-05-10	Expired	David Jones	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2018-05-11	Expired	David Jones	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 213 Organic Impurities of PCC sand	2018-05-11	Expired	David Jones	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2018-05-10	Expired	David Jones	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2018-06-01	Expired	David Jones	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 375 AC Density by Nuclear Gage	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-05-26	Expired	David Jones	(No lab)	Created based on CT521 certificate ID13161
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-05-26	Expired	David Jones	(No lab)	Created based on CT521 certificate ID13161
CT 533 Ball Penetration - PCC	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-05-26	Expired	David Jones	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2018-05-26	Expired	David Jones	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-05-26	Expired	David Jones	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					