

Certificates for Mark Ledesma

Basic Information

First Name	Mark
Last Name	Ledesma
Status	Inactive

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Black Eagle Consulting	Anna Dapra	1345 Capital Boulevard, Reno, NV 89502	9	Lab 1

Test Methods

California Test (CT) Certifications

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2019-06-03	Expired	Robby Rodriguez	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-05-23	Expired	David Jones	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2019-05-23	Expired	David Jones	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2019-05-23	Expired	David Jones	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2019-06-03	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-05-23	Expired	David Jones	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-05-23	Expired	David Jones	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-05-23	Expired	David Jones	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-05-23	Expired	David Jones	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-05-23	Expired	David Jones	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-05-23	Expired	David Jones	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2019-05-23	Expired	David Jones	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-05-23	Expired	David Jones	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-05-23	Expired	David Jones	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2019-05-23	Expired	David Jones	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2019-05-23	Expired	David Jones	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-05-23	Expired	David Jones	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					