

Certificates for Mark Huddleston

Basic Information

First Name	Mark
Last Name	Huddleston
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Atlas Technical Consultants	Jason Zimmerman	1775 Park St. Bldg #84, Selma, CA 93662	6	Lab 1

Test Methods

California Test (CT) Certifications

Total 38 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-09-06	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Jessa Dhaliwal	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2021-12-11	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-09-06	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-12-11	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2021-12-11	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2022-12-17	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-12-11	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-12-11	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 211 LA Rattler	2021-12-11	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2021-12-11	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2022-09-06	Suspended	Husam Makhoul	(No lab)	CSP suspension on 06/06/2022 for nonparticipation. Contact CSP@dot.ca.gov for unsuspension directions
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2022-09-06	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-12-17	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2020-01-23	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2020-01-23	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2020-01-23	Expired	Jessa Dhaliwal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2021-12-11	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2021-12-11	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 366 Stabilometer	2018-02-02	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 367 OBC	2020-01-23	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2022-12-17	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2021-12-11	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2020-01-25	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-05-17	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-05-17	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-05-17	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-05-17	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-05-17	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-05-17	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-05-17	Active	Shaya Meisamifard	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2020-01-24	Expired	Jessa Dhaliwal	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2020-01-24	Expired	Jessa Dhaliwal	(No lab)	(No comments)
AASHTO T96 L.A. Rattler	2020-01-24	Expired	Jessa Dhaliwal	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-09-26	Active	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-09-26	Active	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T210 Aggregate Durability Index	2020-01-24	Expired	Jessa Dhaliwal	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-09-26	Active	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-09-26	Active	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2020-01-24	Expired	Jessa Dhaliwal	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-09-26	Active	Shaya Meisamifard	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2020-01-25	Expired	Jessa Dhaliwal	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2020-01-25	Expired	Jessa Dhaliwal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-09-13	Active	Sarbjit Grewal	(No lab)	(No comments)
ASTM D4791 Flat and Elongated Particles	2020-01-24	Expired	Jessa Dhaliwal	(No lab)	(No comments)
SP 2 Asphalt Mixture Volumetrics	2020-01-25	Expired	Jessa Dhaliwal	(No lab)	(No comments)