

Certificates for Kavos Khorsand

Basic Information

First Name	Kavos
Last Name	Khorsand
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D06 - Materials Laboratory	Bryan Ash	1352 West Olive Avenue, Fresno, CA 93728	6	Lab 1

Test Methods

California Test (CT) Certifications

Total 27 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-03-19	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-03-19	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 204 LL, PL, PI	2018-02-12	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2018-01-20	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 211 LA Rattler	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 301 "R" Value	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 302 Film Stripping - HMA	2020-01-24	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 367 OBC	2020-01-25	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 368 OBC of OGAC	2018-01-19	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 371 Moisture Induced Damage (TSR)	2020-01-24	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **20** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2020-01-22	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2020-01-25	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T283 Moisture Induced Damage (TSR)	2020-01-24	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2020-01-25	Expired	Jessa Dhaliwal	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2020-01-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
SP 2 Asphalt Mixture Volumetrics	2020-01-25	Expired	Jessa Dhaliwal	Lab 1	(No comments)