

Certificates for Clarito Colocado

Basic Information

First Name	Clarito
Last Name	Colocado
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
NV5 West, Inc	Shaun Simon	1868 Palma Drive, Suite A, Ventura, CA 93003	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 29 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2018-05-14	Expired	Ashley Shaw	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2017-05-14	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2017-10-22	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2017-10-22	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2017-10-22	Expired	Pedro Reyes	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2018-05-14	Expired	Ashley Shaw	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2017-05-14	Expired	Pedro Reyes	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2017-11-23	Expired	Pedro Reyes	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2017-05-14	Expired	Pedro Reyes	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2017-05-14	Expired	Pedro Reyes	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2017-05-14	Expired	Pedro Reyes	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2017-05-14	Expired	Pedro Reyes	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2017-05-14	Expired	Pedro Reyes	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2017-05-14	Expired	Pedro Reyes	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2017-09-29	Expired	Pedro Reyes	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2017-10-22	Expired	Pedro Reyes	Lab 1	(No comments)
CT 301 "R" Value	2023-04-14	Active	Ashley Shaw	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2018-12-12	Expired	Pedro Reyes	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2017-05-14	Expired	Pedro Reyes	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2017-05-14	Expired	Pedro Reyes	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-03-08	Expired	Pedro Reyes	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-03-08	Expired	Pedro Reyes	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2018-03-08	Expired	Pedro Reyes	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2018-03-08	Expired	Pedro Reyes	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-03-08	Expired	Pedro Reyes	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-03-08	Expired	Pedro Reyes	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2018-03-08	Expired	Pedro Reyes	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-03-08	Expired	Pedro Reyes	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2018-03-08	Expired	Pedro Reyes	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					