

Certificates for William Rossiter

Basic Information

First Name	William
Last Name	Rossiter
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **19** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Pedro Reyes	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-04-18	Expired	Pedro Reyes	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2018-04-18	Expired	Pedro Reyes	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2018-04-18	Expired	Pedro Reyes	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-04-18	Expired	Pedro Reyes	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Pedro Reyes	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-04-18	Expired	Pedro Reyes	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-04-18	Expired	Pedro Reyes	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-04-18	Expired	Pedro Reyes	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-04-18	Expired	Pedro Reyes	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 375 AC Density by Nuclear Gage	2017-09-10	Expired	Pedro Reyes	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-04-18	Expired	Richard Hibbard	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-04-18	Expired	Richard Hibbard	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-03-08	Expired	Pedro Reyes	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-04-18	Expired	Richard Hibbard	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-04-18	Expired	Richard Hibbard	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2020-04-18	Expired	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2020-04-18	Expired	Richard Hibbard	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2020-04-18	Expired	Richard Hibbard	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy