

## Certificates for Matthew Hughes

### Basic Information

<b>First Name</b>	Matthew
<b>Last Name</b>	Hughes
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total 26 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Jessa Dhaliwal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 211 LA Rattler	2017-11-16	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2018-09-15	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-08-17	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-08-17	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-09-15	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-09-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-09-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-06-01	Expired	Jessa Dhaliwal	(No lab)	Created based on CT521 certificate ID37593

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-06-01	Expired	Jessa Dhaliwal	(No lab)	Created based on CT521 certificate ID37593
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-09-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-09-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-09-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-09-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-09-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2021-09-06	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2021-09-06	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2021-09-06	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-09-06	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2021-09-06	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)