

Certificates for Matthew Hughes

Basic Information

First Name	Matthew
Last Name	Hughes
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 26 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Jessa Dhaliwal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 211 LA Rattler	2017-11-16	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2022-04-12	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2018-09-15	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-08-17	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-08-17	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-09-15	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-09-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-09-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-06-01	Expired	Jessa Dhaliwal	(No lab)	Created based on CT521 certificate ID37593

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-06-01	Expired	Jessa Dhaliwal	(No lab)	Created based on CT521 certificate ID37593
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-09-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-09-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-09-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-09-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-09-18	Expired	Biplab Bhattacharya	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2021-09-06	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2021-09-06	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2021-09-06	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-09-06	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2021-09-06	Expired	Richard Hibbard	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	(No lab)	(No comments)