

Certificates for Jason Maduro

Basic Information

First Name	Jason
Last Name	Maduro
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA GeoScience, Incorporated	Jennifer Karr	3897 North Ann Avenue, Fresno, CA 93727	6	Lab 1

Test Methods

California Test (CT) Certifications

Total 34 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-11-04	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-11-04	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2017-04-08	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 211 LA Rattler	2024-08-16	Active	David Small	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2024-08-16	Active	David Small	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2024-08-16	Active	David Small	Lab 1	(No comments)
CT 301 "R" Value	2024-08-16	Active	David Small	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2024-08-16	Active	David Small	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2024-08-16	Active	David Small	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2024-08-16	Active	David Small	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 366 Stabilometer	2024-08-16	Active	David Small	Lab 1	(No comments)
CT 367 OBC	2024-08-16	Active	David Small	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2024-08-16	Active	David Small	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2024-08-16	Active	David Small	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-07-16	Expired	Richard Hibbard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-07-16	Expired	Richard Hibbard	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-08-24	Active	Sarbjit Grewal	(No lab)	Created based on CT521 certificate ID93006
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-08-24	Active	Sarbjit Grewal	(No lab)	Created based on CT521 certificate ID93006
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-07-16	Expired	Richard Hibbard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-07-16	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-07-16	Expired	Richard Hibbard	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-07-16	Expired	Richard Hibbard	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-07-16	Expired	Richard Hibbard	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2026-09-15	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2026-09-15	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2026-09-15	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2026-09-15	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2026-09-15	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-11-04	Active	Dalton LaBoskey	Lab 1	(No comments)

Unofficial Copy