

## Certificates for Jason Starnes

### Basic Information

<b>First Name</b>	Jason
<b>Last Name</b>	Starnes
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Salem Engineering Group, Inc.	Carlos Montero	4729 W. Jacquelyn Avenue, Fresno, CA 93722	6	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 34 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Jessa Dhaliwal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2025-05-13	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2023-05-13	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-05-13	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2025-05-13	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-05-13	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2023-05-13	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Jessa Dhaliwal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-09-09	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2021-07-15	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2021-06-05	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-09-09	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-09-09	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-09-09	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-09-16	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2018-09-16	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-04-28	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 301 "R" Value	2020-02-14	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2021-06-05	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 309 Max SpG and Density - HMA	2021-06-05	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2023-04-28	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-09-16	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-09-30	Active	Biplab Bhattacharya	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-09-30	Active	Biplab Bhattacharya	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2021-06-05	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-06-05	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-06-05	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2021-06-05	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-09-30	Active	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-09-30	Active	Biplab Bhattacharya	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-09-30	Active	Biplab Bhattacharya	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-09-30	Active	Biplab Bhattacharya	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-09-30	Active	Biplab Bhattacharya	Lab 1	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					