

Certificates for William Boardman

Basic Information

First Name	William
Last Name	Boardman
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Krazan & Associates, Incorporated	Jared Gruszczynski	215 West Dakota Avenue, Clovis, CA 93612	6	Lab 1

Test Methods

California Test (CT) Certifications

Total 30 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-03-19	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2016-10-27	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2019-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-03-19	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-01-08	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2018-01-11	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 206 SpG & Absorption - Coarse Aggregates	2020-01-08	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2020-01-08	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2020-01-08	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-01-08	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2020-01-08	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-03-21	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2018-03-21	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-03-21	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 309 Max SpG and Density - HMA	2018-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2018-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2019-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2019-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-10-27	Expired	Jessa Dhaliwal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy