

Certificates for Vincent Torrez

Basic Information

First Name	Vincent
Last Name	Torrez
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
Smith Emery - Ponderosa	Dinesh Shrestha	9733 Ponderosa Road, Hanford, CA 93230	6	Lab 1

Test Methods

California Test (CT) Certifications

Total **17** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Manpreet Singh	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2023-01-25	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2022-01-15	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2020-02-05	Expired	Manpreet Singh	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2022-01-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2023-02-16	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-02-05	Expired	Manpreet Singh	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2020-02-05	Expired	Manpreet Singh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2020-02-05	Expired	Manpreet Singh	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2020-02-05	Expired	Manpreet Singh	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2020-02-05	Expired	Manpreet Singh	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2020-02-05	Expired	Manpreet Singh	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-01-25	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2022-01-15	Expired	Martiniano Ruiz	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **15** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2020-02-05	Expired	Manpreet Singh	Lab 1	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)