

## Certificates for Gobinder Dhaliwal

### Basic Information

|                   |          |
|-------------------|----------|
| <b>First Name</b> | Gobinder |
| <b>Last Name</b>  | Dhaliwal |
| <b>Status</b>     | Active   |

### Associated Labs

Total 1 item.

| Lab Name                              | Manager Name  | Full Address                               | District | Page Alias |
|---------------------------------------|---------------|--|----------|------------|
| CT D06 - Bakersfield Field Laboratory | Kulwinder Rai | 1824 Norris Road,<br>Bakersfield, CA 93308 | 6        | Lab 1      |

### Test Methods

#### California Test (CT) Certifications

Total 30 items.

| Test Method   | Expiration Date | Status  | IA Responsible      | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|---------------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2021-08-31      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |

| Test Method   | Expiration Date | Status  | IA Responsible      | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|---------------------|---------------------|---------------|
| CT 106 Definitions - Specific Gravity (SpG)                     | 2023-06-30      | Expired | Pedro Reyes         | Lab 1               | (No comments) |
| CT 125 ADMIX Sampling - ADMIXTURE                               | 2021-12-19      | Expired | Jessa Dhaliwal      | Lab 1               | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)           | 2021-08-31      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |
| CT 125 BIT Sampling - BITUMINOUS                                | 2021-12-19      | Expired | Jessa Dhaliwal      | Lab 1               | (No comments) |
| CT 125 CEM Sampling - CEM                                       | 2021-12-19      | Expired | Jessa Dhaliwal      | Lab 1               | (No comments) |
| CT 125 GEN Sampling - GENERAL                                   | 2021-12-19      | Expired | Jessa Dhaliwal      | Lab 1               | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I)                        | 2022-12-19      | Expired | Jessa Dhaliwal      | Lab 1               | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)    | 2021-08-31      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2021-08-31      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A)                   | 2021-08-31      | Expired | Biplab Bhattacharya | (No lab)            | (No comments) |

| Test Method  | Expiration Date | Status  | IA Responsible      | Within Lab(s) Scope | Comments      |
|--|-----------------|---------|---------------------|---------------------|---------------|
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2021-08-31      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A)                            | 2021-08-31      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)    | 2021-08-31      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A)                            | 2021-08-31      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |
| CT 229 Durability (JTCP - S&A)                                 | 2021-08-31      | Expired | Biplab Bhattacharya | Lab 1               | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage                      | 2021-12-19      | Expired | Jessa Dhaliwal      | Lab 1               | (No comments) |
| CT 308 Bulk SpG and Density - HMA                              | 2021-12-19      | Expired | Jessa Dhaliwal      | Lab 1               | (No comments) |
| CT 382 AC Content by Ignition Oven                             | 2021-12-19      | Expired | Jessa Dhaliwal      | Lab 1               | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)       | 2021-12-19      | Expired | Jessa Dhaliwal      | Lab 1               | (No comments) |

| Test Method   | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|----------------|---------------------|---------------|
| CT 518 Unit Weight - PCC (JTCP - PCC)   | 2021-12-19      | Expired | Jessa Dhaliwal | Lab 1               | (No comments) |
| CT 521 Compressive Strength - PCC   | 2021-12-19      | Expired | Jessa Dhaliwal | Lab 1               | (No comments) |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2021-12-19      | Expired | Jessa Dhaliwal | Lab 1               | (No comments) |
| CT 523.2 Section B.3 Flexural Strength (Lab Test)                             | 2021-12-19      | Expired | Jessa Dhaliwal | Lab 1               | (No comments) |
| CT 524 Flexural Strength of Rapid Strength - PCC                              | 2021-12-19      | Expired | Jessa Dhaliwal | Lab 1               | (No comments) |
| CT 533 Ball Penetration - PCC   | 2021-12-19      | Expired | Jessa Dhaliwal | Lab 1               | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC)                                   | 2021-12-19      | Expired | Jessa Dhaliwal | Lab 1               | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC)                                    | 2021-12-19      | Expired | Jessa Dhaliwal | Lab 1               | (No comments) |
| CT 552 Relative Compaction of Polymer Concrete                                | 2021-12-19      | Expired | Jessa Dhaliwal | (No lab)            | (No comments) |

| Test Method                           | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|---------------------------------------|-----------------|---------|----------------|---------------------|---------------|
| CT 557 Temperature - PCC (JTCP - PCC) | 2021-12-19      | Expired | Jessa Dhaliwal | Lab 1               | (No comments) |

## AASHTO/ASTM Proficiencies

Total 9 items.

| Test Method   | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|----------------|---------------------|---------------|
| AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)  | 2020-02-01      | Expired | Pedro Reyes    | Lab 1               | (No comments) |
| AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I) | 2020-02-01      | Expired | Pedro Reyes    | Lab 1               | (No comments) |
| AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)           | 2022-05-30      | Expired | Jasdeep Sandhu | Lab 1               | (No comments) |
| AASHTO T176 Sand Equivalent (JTCP - HMA I)                            | 2020-02-01      | Expired | Pedro Reyes    | Lab 1               | (No comments) |
| AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)                 | 2022-05-30      | Expired | Jasdeep Sandhu | Lab 1               | (No comments) |

| Test Method   | Expiration Date | Status  | IA Responsible | Within Lab(s) Scope | Comments      |
|---|-----------------|---------|----------------|---------------------|---------------|
| AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)             | 2022-05-30      | Expired | Jasdeep Sandhu | (No lab)            | (No comments) |
| AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)                      | 2022-05-30      | Expired | Jasdeep Sandhu | Lab 1               | (No comments) |
| AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)    | 2022-05-30      | Expired | Jasdeep Sandhu | Lab 1               | (No comments) |
| AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I) | 2020-02-01      | Expired | Pedro Reyes    | Lab 1               | (No comments) |