

Certificates for Ernesto Marroquin

Basic Information

First Name	Ernesto
Last Name	Marroquin
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Granite Construction - Bradshaw	Gerardo Valdovinos	4001 Bradshaw Road, Sacramento, CA 95851	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 31 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-04-15	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Jessaneil Perez	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-04-15	Active	Avinash Ralla	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2023-06-23	Expired	Ed Gamboa	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-01-28	Active	Dalton LaBoskey	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1	(No comments)
CT 204 LL, PL, PI	2020-12-17	Expired	Manpreet Singh	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2024-04-03	Expired	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2024-04-03	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 211 LA Rattler	2024-04-03	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2024-04-03	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 213 Organic Impurities of PCC sand	2024-04-03	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 214 Sodium Sulfate Soundness	2023-07-02	Expired	Ed Gamboa	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2023-01-07	Expired	Ed Gamboa	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2023-01-07	Expired	Ed Gamboa	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-01-28	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-01-07	Expired	Ed Gamboa	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2023-01-07	Expired	Ed Gamboa	Lab 1	(No comments)
CT 366 Stabilometer	2020-12-17	Expired	Manpreet Singh	Lab 1	(No comments)
CT 367 OBC	2023-06-22	Expired	Ed Gamboa	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2023-01-07	Expired	Ed Gamboa	Lab 1	(No comments)
CT 371 Moisture Induced Damage (TSR)	2023-01-07	Expired	Ed Gamboa	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2023-06-22	Expired	Ed Gamboa	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2023-01-07	Expired	Ed Gamboa	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-01-28	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-01-28	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-01-28	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-01-28	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-02-16	Expired	Ed Gamboa	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2024-04-03	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2024-04-03	Expired	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-01-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-01-28	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-01-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2023-02-16	Expired	Ed Gamboa	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-01-28	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-01-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-01-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2023-02-16	Expired	Ed Gamboa	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T304 Uncompacted Void - Fine Aggregate	2024-04-03	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-01-13	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2024-04-03	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2023-02-19	Expired	Ed Gamboa	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-01-28	Active	Dalton LaBoskey	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-01-28	Active	Dalton LaBoskey	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2024-04-03	Expired	Ignocencio Herrera	Lab 1	(No comments)
ASTM D7741 AR Field Viscosity	2023-02-16	Expired	Ed Gamboa	(No lab)	(No comments)