

## Certificates for Cesar Mandujano

### Basic Information

<b>First Name</b>	Cesar
<b>Last Name</b>	Mandujano
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Visalia Field Lab	Shoaib Ahmed	8530 W. Roosevelt Ave, Visalia, CA 93291	6	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Pedro Reyes	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Pedro Reyes	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2022-06-25	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-07-01	Active	Pedro Reyes	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2022-06-25	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2022-06-25	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2022-06-25	Active	Martiniano Ruiz	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-07-01	Active	Pedro Reyes	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Pedro Reyes	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-04-04	Expired	Pedro Reyes	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total 1 item.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
ASTM D7741 AR Field Viscosity	2018-04-07	Expired	Pedro Reyes	(No lab)	(No comments)

Unofficial Copy