

Certificates for Fernando Najera

Basic Information

First Name	Fernando
Last Name	Najera
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Granite Construction Arvin Laboratory/ Solari Plant	Corina Wong	8999 Capacity Street, Arvin, CA 93203	6	Lab 1

Test Methods

California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-04-16	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-04-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-10-25	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2018-10-25	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-04-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-04-16	Expired	Lauren Smith	Lab 1	Did not participate in the CSP CT 202 for 2022 calendar year.
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-04-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 211 LA Rattler	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2021-05-13	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-04-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-04-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-04-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-04-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-04-16	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2021-07-30	Expired	Pedro Reyes	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-09-10	Active	Soroosh Amelian	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2022-11-04	Expired	Martiniano Ruiz	Lab 1	(No comments)

Unofficial Copy