

Certificates for Jesse Williams

Basic Information

First Name	Jesse
Last Name	Williams
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
NV5 West, Incorporated	Shaun Simon	1868 Palma Drive, Suite A, Ventura, CA 93003	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 41 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-01-11	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2018-09-21	Expired	Ashley Shaw	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2017-10-19	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-01-11	Expired	Richard Hibbard	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2017-10-19	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2017-10-19	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2017-10-19	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2017-10-19	Expired	Pedro Reyes	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-01-11	Expired	Richard Hibbard	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-01-11	Expired	Richard Hibbard	Lab 1	(No comments)
CT 204 LL, PL, PI	2021-02-18	Expired	Majid Fahrtoosh	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2022-01-11	Expired	Richard Hibbard	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2022-03-08	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2022-03-08	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2021-03-18	Expired	Majid Fahrtoosh	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-01-11	Expired	Richard Hibbard	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-01-11	Expired	Richard Hibbard	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-01-11	Expired	Richard Hibbard	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2022-01-11	Expired	Richard Hibbard	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2022-01-11	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2021-08-06	Expired	Pedro Reyes	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2022-03-10	Expired	Ignocencio Herrera	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-03-08	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2023-03-10	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2023-03-10	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-10-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-10-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-03-08	Expired	Pedro Reyes	Lab 1	Created based on CT521 certificate ID14551
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-03-08	Expired	Pedro Reyes	Lab 1	Created based on CT521 certificate ID14551

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-11-20	Expired	Pedro Reyes	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-03-08	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2020-11-20	Expired	Pedro Reyes	(No lab)	(No comments)
CT 531 Core Length - PCC	2018-09-18	Expired	Pedro Reyes	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2022-03-10	Expired	Ignocencio Herrera	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-10-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-10-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 541 Flow Cone	2018-03-14	Expired	Pedro Reyes	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-10-21	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 552 Relative Compaction of Polymer Concrete	2021-03-18	Expired	Majid Fahrtoosh	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-10-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-10-21	Expired	Biplab Bhattacharya	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2022-03-09	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2022-03-09	Expired	Ignocencio Herrera	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2022-02-07	Expired	Richard Hibbard	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-05-22	Expired	Pedro Reyes	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2022-02-07	Expired	Richard Hibbard	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2022-02-07	Expired	Richard Hibbard	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2022-02-07	Expired	Richard Hibbard	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2022-02-07	Expired	Richard Hibbard	Lab 1	(No comments)
AASHTO T312 Gyrotory Compactor	2021-03-18	Expired	Majid Fahrtoosh	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2021-02-19	Expired	Majid Fahrtoosh	(No lab)	(No comments)