

Certificates for Michael Davis

Basic Information

First Name	Michael
Last Name	Davis
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Sierra Pacific Materials	Michael Davis	45315 Lost Hills Road, Coalinga, CA 93210	6	Lab 1

Test Methods

California Test (CT) Certifications

Total 19 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-03-17	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-04-04	Expired	Pedro Reyes	Lab 1	(No comments)
CT 211 LA Rattler	2018-04-04	Expired	Pedro Reyes	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2018-04-26	Expired	Pedro Reyes	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2017-10-04	Expired	Pedro Reyes	(No lab)	(No comments)
CT 370 Moisture Content by Microwave	2018-03-17	Expired	Pedro Reyes	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2019-04-04	Expired	Pedro Reyes	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)