Certificates for Arthur Mills

Basic Information

First Name	Arthur
Last Name	Mills
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
Blackburn Consulting	Benjamin Lokteff	2491 Boatman Avenue, West Sacramento, CA 95691	3	Lab 1

Test Methods

California Test (CT) Certifications

Total **41** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2024-10-27	Active	Allen Oliver	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2024-10-27	Active	Allen Oliver	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2020-04-23	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2020-02-04	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2020-02-05	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 211 LA Rattler	2020-02-04	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 212 Unit Weight of Aggregates	2020-08-07	Expired	Natalie Rivinius	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2025-02-04	Active	Soroosh Amelian	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-03-02	Active	Rahshaun Spears	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2020-02-05	Expired	Jessa Dhaliwal	Lab 1	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 235 Flat and Elongated Particles	2020-07-09	Expired	Natalie Rivinius	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2021-02-04	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-02-05	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2020-02-05	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 366 Stabilometer	2021-02-04	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 367 OBC	2020-02-04	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2019-03-21	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2025-03-02	Active	Rahshaun Spears	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2020-02-04	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2020-02-05	Expired	Jessa Dhaliwal	(No lab)	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-11-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-11-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2024-10-27	Active	Emily Merritt	Lab 1	Created based on CT521 certificate ID61660
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2024-10-27	Active	Emily Merritt	Lab 1	Created based on CT521 certificate ID61660
CT 533 Ball Penetration - PCC	2025-03-02	Active	Rahshaun Spears	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-11-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-11-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-11-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-11-09	Active	Sarbjit Grewal	Lab 1	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2024-11-09	Active	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **24** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T30 Mechanical Analysis of Extracted Aggregate	2024-10-27	Active	Allen Oliver	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-02-25	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2024-10-27	Active	Allen Oliver	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2021-02-04	Expired	Jessa Dhaliwal	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-12-08	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-12-08	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2024-10-27	Active	Allen Oliver	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-12-08	Active	Avinash Ralla	Lab 1	(No comments)

Unofficial Copy

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-12-08	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2021-02-05	Expired	Jessa Dhaliwal	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2023-02-25	Expired	Jackie Treat	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-12-08	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2024-10-27	Active	Allen Oliver	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2021-03-04	Expired	Jessa Dhaliwal	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-02-18	Active	Soroosh Amelian	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2023-02-25	Expired	Jackie Treat	Lab 1	(No comments)
SP 2 Asphalt Mixture Volumetrics	2020-08-15	Expired	Natalie Rivinius	(No lab)	(No comments)

Unofficial Copy

Unofficial Copy