

Certificates for William Wojdylak

Basic Information

First Name	William
Last Name	Wojdylak
Status	Active

Associated Labs

Total 6 items.

Lab Name	Manager Name	Full Address	District	Page Alias
NV5	Ryan DeVault	2015 Westwind Drive, Suite 10, Bakersfield, CA 93301	6	Lab 1
CT D10 - Cherokee Field Laboratory	Mandeep Dhesi	3256 Tomahawk Drive, Stockton, CA 95205	10	Lab 2
CT D10 - Merced Field Laboratory	Mandeep Dhesi	1801 Motel Drive, Merced, CA 95341	10	Lab 3
CT D10 - Sonora Field Laboratory	Mandeep Dhesi	19596 Mono Way, Sonora, CA 95370	10	Lab 4
CT D10 - Lone Field Laboratory	Mandeep Dhesi	315 Depot Road, Lone, CA 95640	10	Lab 5
NV5 - Holdrege & Kull	John D. Atkinson	1125 North Golden State Boulevard, Suite E, Turlock, CA 95380	10	Lab 6

Test Methods

California Test (CT) Certifications

Total **40** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-01-20	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Jessa Dhaliwal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-01-20	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2023-08-23	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2023-08-23	Expired	Martiniano Ruiz	Lab 1, Lab 2, Lab 3, Lab 4, Lab 6	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 GEN Sampling - GENERAL	2020-03-28	Expired	Ed Gamboa	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-08-13	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-08-13	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-08-13	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-08-23	Expired	Martiniano Ruiz	Lab 1, Lab 6	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2023-08-23	Expired	Martiniano Ruiz	Lab 1, Lab 6	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2022-02-17	Expired	Ed Gamboa	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2022-02-17	Expired	Ed Gamboa	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-08-13	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-08-13	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-08-13	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-08-13	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
CT 229 Durability (JTCP - S&A)	2024-08-13	Expired	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2024-09-15	Active	Ed Gamboa	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2023-08-23	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2023-09-09	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 301 "R" Value	2022-03-01	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2023-09-09	Expired	Martiniano Ruiz	Lab 1, Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-08-23	Expired	Martiniano Ruiz	Lab 1, Lab 2, Lab 6	(No comments)
CT 309 Max SpG and Density - HMA	2023-08-15	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 366 Stabilometer	2022-02-19	Expired	Martiniano Ruiz	(No lab)	(No comments)
CT 367 OBC	2022-02-19	Expired	Martiniano Ruiz	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2022-03-13	Expired	Ed Gamboa	Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2023-08-23	Expired	Martiniano Ruiz	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5	(No comments)
CT 382 AC Content by Ignition Oven	2020-03-28	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-08-27	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 6	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-08-27	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 6	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-08-27	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-08-27	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 6	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-08-27	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 6	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-08-27	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-08-27	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 6	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2026-08-27	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3, Lab 6	(No comments)

AASHTO/ASTM Proficiencies

Total 22 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-08-23	Expired	Martiniano Ruiz	Lab 1, Lab 6	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-08-23	Expired	Martiniano Ruiz	Lab 1, Lab 6	(No comments)
AASHTO T96 L.A. Rattler	2022-03-01	Expired	Martiniano Ruiz	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T210 Aggregate Durability Index	2023-09-09	Expired	Martiniano Ruiz	Lab 1, Lab 2, Lab 3, Lab 4, Lab 5, Lab 6	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1, Lab 6	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2023-08-23	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2023-09-09	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-10-20	Active	Brian Ellis	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T312 Gyratory Compactor	2023-08-15	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2023-09-09	Expired	Martiniano Ruiz	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2026-01-20	Active	Avinash Ralla	Lab 1	(No comments)
ASTM D4791 Flat and Elongated Particles	2023-09-09	Expired	Martiniano Ruiz	Lab 1	(No comments)