

Certificates for Mohammad Shirvani

Basic Information

First Name	Mohammad
Last Name	Shirvani
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **29** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-02-19	Expired	Richard Hibbard	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Jessa Dhaliwal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2021-12-17	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-12-17	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2021-12-17	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-12-17	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2023-01-17	Expired	Husam Makhoul	(No lab)	CSP suspension on 06/13/2022 for nonparticipation. Contact CSP@dot.ca.gov for unsuspension directions.
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2023-01-17	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-02-06	Expired	Mark Huddleston	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2020-02-05	Expired	Mark Huddleston	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-02-05	Expired	Mark Huddleston	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-02-05	Expired	Mark Huddleston	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2021-12-17	Expired	Jessa Dhaliwal	(No lab)	Created based on CT521 certificate ID15346
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2021-12-17	Expired	Jessa Dhaliwal	(No lab)	Created based on CT521 certificate ID15346
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-02-05	Expired	Mark Huddleston	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-02-05	Expired	Mark Huddleston	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2020-02-05	Expired	Mark Huddleston	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2020-02-05	Expired	Mark Huddleston	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-02-05	Expired	Mark Huddleston	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-02-05	Expired	Mark Huddleston	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2020-02-05	Expired	Mark Huddleston	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)