

Certificates for Brian Darlington

Basic Information

First Name	Brian
Last Name	Darlington
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
ConFab	Trevor Laws	701 Golds Avenue, Shafter, CA 93263	6	Lab 1

Test Methods

California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Pedro Reyes	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Pedro Reyes	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-02-13	Expired	Pedro Reyes	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-04-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-04-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2021-06-18	Expired	Pedro Reyes	Lab 1	Created based on CT521 certificate ID13642
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2021-06-18	Expired	Pedro Reyes	Lab 1	Created based on CT521 certificate ID13642
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-04-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-04-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-04-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2023-04-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-04-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					