

Certificates for Nick Lough

Basic Information

First Name	Nick
Last Name	Lough
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D06 - Highway 99 Construction Laboratory	Dan Weaver	1352 West Olive Avenue, Fresno, CA 93728	6	Lab 1

Test Methods

California Test (CT) Certifications

Total **36** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-02-07	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2020-01-24	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-02-07	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-01-24	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2020-01-24	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2020-01-24	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-02-07	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2023-02-07	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2023-02-07	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2018-02-24	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2023-02-07	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2023-02-07	Expired	Husam Makhoul	Lab 1	CSP suspension on 06/13/2022 for nonparticipation. Contact CSP@dot.ca.gov for unsuspension directions.
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2023-02-07	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2023-02-07	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2023-02-07	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2020-01-26	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-02-06	Expired	Mark Huddleston	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2020-02-06	Expired	Mark Huddleston	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2020-02-06	Expired	Mark Huddleston	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2018-04-05	Expired	Jessa Dhaliwal	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2020-02-06	Expired	Mark Huddleston	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-02-07	Expired	Mark Huddleston	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-02-07	Expired	Mark Huddleston	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-02-24	Expired	Jessa Dhaliwal	(No lab)	Created based on CT521 certificate ID15488

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-02-24	Expired	Jessa Dhaliwal	(No lab)	Created based on CT521 certificate ID15488
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-02-07	Expired	Mark Huddleston	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-02-07	Expired	Mark Huddleston	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2020-02-07	Expired	Mark Huddleston	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2020-02-07	Expired	Mark Huddleston	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-02-07	Expired	Mark Huddleston	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-02-07	Expired	Mark Huddleston	Lab 1	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2018-02-24	Expired	Jessa Dhaliwal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2020-02-07	Expired	Mark Huddleston	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2020-02-07	Expired	Mark Huddleston	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **12** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2020-02-06	Expired	Mark Huddleston	(No lab)	(No comments)
AASHTO T210 Aggregate Durability Index	2020-01-24	Expired	Mark Huddleston	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2020-01-25	Expired	Mark Huddleston	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2020-01-25	Expired	Mark Huddleston	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2023-02-28	Expired	Sarbjit Grewal	(No lab)	(No comments)