

Certificates for Brian Klassen

Basic Information

| | |
|-------------------|---------|
| First Name | Brian |
| Last Name | Klassen |
| Status | Active |

Associated Labs

Total 1 item.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|-----------------------|--------------|--------------|----------|------------|
| CT D06 - Construction | | , , CA | 6 | Lab 1 |

Test Methods

California Test (CT) Certifications

Total 28 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|--------------------|---------------------|------------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2020-03-19 | Expired | Mark Huddleston | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|-----------------|---------------------|---------------|
| CT 106 Definitions - Specific Gravity (SpG) | 2023-06-30 | Expired | Jessa Dhaliwal | (No lab) | (No comments) |
| CT 125 ADMIX Sampling - ADMIXTURE | 2020-04-30 | Expired | Ed Gamboa | (No lab) | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2020-04-30 | Expired | Ed Gamboa | (No lab) | (No comments) |
| CT 125 BIT Sampling - BITUMINOUS | 2020-04-30 | Expired | Ed Gamboa | (No lab) | (No comments) |
| CT 125 CEM Sampling - CEM | 2020-04-30 | Expired | Ed Gamboa | (No lab) | (No comments) |
| CT 125 GEN Sampling - GENERAL | 2020-04-30 | Expired | Ed Gamboa | (No lab) | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I) | 2020-04-30 | Expired | Ed Gamboa | (No lab) | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2023-06-30 | Expired | Jessa Dhaliwal | (No lab) | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2020-02-07 | Expired | Mark Huddleston | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|-----------------|---------------------|---------------|
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2020-02-07 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A) | 2020-02-07 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2020-02-07 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A) | 2020-02-07 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 229 Durability (JTCP - S&A) | 2020-02-07 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 231 Relative Compaction - Nuclear Gage | 2020-04-30 | Expired | Ed Gamboa | (No lab) | (No comments) |
| CT 308 Bulk SpG and Density - HMA | 2020-02-07 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 375 AC Density by Nuclear Gage | 2020-02-07 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2020-02-08 | Expired | Mark Huddleston | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|-----------------|---------------------|---------------|
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2020-02-08 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2020-02-08 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 523.2 Section B.3 Flexural Strength (Lab Test) | 2020-02-08 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 524 Flexural Strength of Rapid Strength - PCC | 2020-02-08 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 533 Ball Penetration - PCC | 2020-02-08 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2020-02-08 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2020-02-08 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2020-02-08 | Expired | Mark Huddleston | (No lab) | (No comments) |
| CT 557 Temperature - PCC (JTCP - PCC) | 2020-02-08 | Expired | Mark Huddleston | (No lab) | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|------------------------|----------|
| No results found. | | | | | |

Unofficial Copy