

## Certificates for Owen Werzinski

### Basic Information

<b>First Name</b>	Owen
<b>Last Name</b>	Werzinski
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Structure Construction	NA	NA, NA, NA NA	59	Lab 1
District 6 Construction		,	6	Lab 2

### Test Methods

#### California Test (CT) Certifications

Total 26 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Active	Jessa Dhaliwal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Jessa Dhaliwal	(No lab)	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Jessa Dhaliwal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2017-10-29	Expired	Jessa Dhaliwal	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 5 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2017-10-30	Expired	Jessa Dhaliwal	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2017-10-30	Expired	Jessa Dhaliwal	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2017-10-30	Expired	Jessa Dhaliwal	(No lab)	(No comments)
AASHTO T210 Aggregate Durability Index	2017-10-30	Expired	Jessa Dhaliwal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2017-10-30	Expired	Jessa Dhaliwal	(No lab)	(No comments)