

## Certificates for Brad Latham

### Basic Information

<b>First Name</b>	Brad
<b>Last Name</b>	Latham
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
District 6 Construction			6	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 18 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-07-10	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2021-05-09	Expired	Pedro Reyes	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-07-10	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2021-05-09	Expired	Pedro Reyes	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2021-05-09	Expired	Pedro Reyes	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-05-09	Expired	Pedro Reyes	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-07-10	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-04-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-04-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-04-16	Incomplete	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-04-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-04-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-04-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-04-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2024-04-16	Active	Soroosh Amelian	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-06-07	Active	Martiniano Ruiz	(No lab)	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2023-09-11	Active	Soroosh Amelian	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2021-09-11	Expired	Martiniano Ruiz	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2023-07-10	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2023-07-10	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2023-07-10	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2023-07-10	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-08-27	Active	Soroosh Amelian	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2023-07-10	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-08-27	Active	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2023-07-10	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-08-27	Active	Soroosh Amelian	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-08-27	Active	Soroosh Amelian	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-08-27	Active	Soroosh Amelian	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2023-07-10	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2023-07-10	Active	Sarbjit Grewal	(No lab)	(No comments)