

Certificates for Oscar Lumbres

Basic Information

First Name	Oscar
Last Name	Lumbres
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D06 - Construction		, , CA	6	Lab 1

Test Methods

California Test (CT) Certifications

Total 6 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2017-11-10	Expired	Pedro Reyes	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-11-21	Expired	Pedro Reyes	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-12-12	Expired	Pedro Reyes	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2017-11-10	Expired	Pedro Reyes	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-12-12	Expired	Pedro Reyes	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-11-21	Expired	Pedro Reyes	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					