

CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0111: TECHNICIAN CERTIFICATION

In conformance with the Caltrans Independent Assurance (IA) Manual,
IA Staff presents this certificate to:

Kody Weatherford

Technician ID: 02783

Certified test methods: **CT = Caltrans : AA = AASHTO : AS = ASTM : * JTCP Test Method**

Test Method	Obtained Date	Expiration Date	Associated Laboratory	Test Method	Obtained Date	Expiration Date	Associated Laboratory
AA T11 *	2023-10-20	2026-10-20	1	AA T27 *	2023-10-20	2026-10-20	1
AA R47 *	2023-10-20	2026-10-20	1	AA R76 *	2023-10-20	2026-10-20	1
AA T85	2025-03-04	2027-03-04	(No lab)	AA T166 *	2023-10-05	2026-10-05	1
AA T176 *	2023-10-20	2026-10-20	(No lab)	AA T209 *	2023-10-05	2026-10-05	1
AA T255 *	2023-10-20	2026-10-20	(No lab)	AA T269 *	2023-10-05	2026-10-05	1
AA T275 *	2023-10-05	2026-10-05	1	AA T308 *	2023-10-05	2026-10-05	1
AA T329 *	2023-10-20	2026-10-20	(No lab)	AA T335 *	2023-10-20	2026-10-20	(No lab)
ASTM D4791	2025-03-04	2027-03-04	(No lab)	CT 105 *	2023-10-20	2026-10-20	1
CT 125 AGG*	2023-10-20	2026-10-20	1	CT 125 HMA*	2023-10-20	2026-10-20	1
CT 201 *	2023-09-29	2026-09-29	1	CT 202 *	2023-09-29	2026-09-29	1
CT 204	2025-03-04	2027-03-04	(No lab)	CT 205 *	2023-09-29	2026-09-29	1
CT 206	2025-03-04	2027-03-04	(No lab)	CT 207	2025-03-04	2027-03-04	(No lab)
CT 216 *	2023-09-29	2026-09-29	1	CT 217 *	2023-09-29	2026-09-29	1
CT 226 *	2023-09-29	2026-09-29	1	CT 227 *	2023-09-29	2026-09-29	1
CT 229 *	2023-09-29	2026-09-29	1	CT 231	2025-03-04	2027-03-04	1
CT 235	2025-03-04	2027-03-04	1	CT 306 *	2023-10-20	2026-10-20	(No lab)
CT 309	2025-03-04	2027-03-04	1	CT 370	2025-03-04	2027-03-04	(No lab)
CT 375	2025-03-04	2027-03-04	1	CT 504 *	2022-07-15	2027-07-15	1
CT 518 *	2022-07-15	2027-07-15	1	CT 521.2	2025-03-04	2027-03-04	1
CT 521.1	2025-03-04	2027-03-04	1	CT 523.1 Section B.1 & B.2*	2022-07-15	2027-07-15	(No lab)
CT 533	2025-03-04	2027-03-04	1	CT 539 *	2022-07-15	2027-07-15	1
CT 540 *	2022-07-15	2027-07-15	1	CT 543 *	2022-07-15	2027-07-15	(No lab)
CT 556 *	2022-07-15	2027-07-15	1	CT 557 *	2022-07-15	2027-07-15	1

(No Lab): Technician is not associated with a laboratory accredited to perform the test method identified.

Associated laboratories:

1: RSP #197, Geocon, 3160 Gold Valley Drive, Suite 800, Rancho Cordova

Date issued: 05/12/2026

IA Staff name

IA Number

Signature

Note: This certificate is valid provided that the technician complies with applicable requirements of the Caltrans Independent Assurance Manual. Please verify technician certifications and laboratory associations by visiting the SIAD website at <https://sia.dot.ca.gov/>