CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0111: TECHNICIAN CERTIFICATION

In conformance with the Caltrans Independent Assurance (IA) Manual,
IA Staff presents this certificate to:

Reza Dineli

Technician ID: 03473

Certified test methods: **CT = Caltrans : AA = AASHTO : AS = ASTM : * JTCP Test Method**

Test Method	Obtained Date	Expiration Date	Associated Laboratory		Test Method	Obtained Date	Expiration Date	Associated Laboratory
AA T11 *	2026-05-01	2029-05-01	1, 2, 3		AA T27 *	2026-05-01	2029-05-01	1, 2, 3
AA T30 *	2026-05-01	2029-05-01	1, 2, 3		AA R47 *	2026-05-01	2029-05-01	1, 2, 3
AA R76 *	2026-05-01	2029-05-01	1, 2, 3		AA T166 *	2025-08-07	2028-08-07	1, 2, 3
AA T176 *	2026-05-01	2029-05-01	1, 2, 3		AA T209 *	2025-08-07	2028-08-07	1, 2, 3
AA T255 *	2026-05-01	2029-05-01	1, 3		AA T269 *	2025-08-07	2028-08-07	1, 2, 3
AA T275 *	2025-08-07	2028-08-07	1, 2, 3		AA T308 *	2025-08-07	2028-08-07	1, 2, 3
AA T329 *	2026-05-01	2029-05-01	1, 2, 3		AA T335 *	2026-05-01	2029-05-01	3
CT 105 *	2024-06-05	2027-06-05	1, 2, 3		CT 125 AGG*	2026-05-01	2029-05-01	1, 2
CT 125 HMA*	2026-05-01	2029-05-01	1, 2		CT 201 *	2024-06-05	2027-06-05	1, 2, 3
CT 202 *	2024-06-05	2027-06-05	1, 2, 3		CT 205 *	2024-06-05	2027-06-05	3
CT 217 *	2024-06-05	2027-06-05	1, 2		CT 226 *	2024-06-05	2027-06-05	1, 2, 3
CT 227 *	2024-06-05	2027-06-05	1, 2, 3		CT 229 *	2024-06-05	2027-06-05	2, 3
CT 306 *	2026-05-01	2029-05-01	1, 2					

Associated laboratories:

1: RSP #38, CT D04 - Pleasanton Field Laboratory, 5675 Gibraltar Drive, Pleasanton	**2:** RSP #317, CT D04 - San Jose Field Laboratory, 1007 Knox Avenue, San Jose	**3:** RSP #1742, CT D04 - Materials Laboratory, 21339 Cabot Boulevard, Hayward

Date issued: 11/26/2026

IA Staff name IA Number Signature

Note: This certificate is valid provided that the technician complies with applicable requirements of the Caltrans Independent Assurance Manual. Please verify technician certifications and laboratory associations by visiting the SIAD website at https://sia.dot.ca.gov/

Unofficial Copy