

# CALIFORNIA DEPARTMENT OF TRANSPORTATION

## TL-0111: TECHNICIAN CERTIFICATION

In conformance with the Caltrans Independent Assurance (IA) Manual,  
IA Staff presents this certificate to:

**Thomas Shivers**

Technician ID: 03810

Certified test methods: **CT = Caltrans : AA = AASHTO : AS = ASTM : \* JTCP Test Method**

Test Method	Obtained Date	Expiration Date	Associated Laboratory	Test Method	Obtained Date	Expiration Date	Associated Laboratory
AA T11 *	2025-02-21	2028-02-21	1, 2, 3, 4, 5, 6, 7	AA T27 *	2025-02-21	2028-02-21	1, 2, 3, 4, 5, 6, 7
AA T30 *	2025-02-21	2028-02-21	1, 7	AA R47 *	2025-02-21	2028-02-21	1, 2, 3, 4, 5, 6, 7
AA R76 *	2025-02-21	2028-02-21	1, 2, 3, 4, 5, 6, 7	AA T176 *	2025-02-21	2028-02-21	1, 2, 3, 4, 5, 6, 7
AA T255 *	2025-02-21	2028-02-21	1, 2, 3, 4, 5, 6, 7	AA T329 *	2025-02-21	2028-02-21	1, 2, 3, 4, 6, 7
AA T335 *	2025-02-21	2028-02-21	1, 2, 4	CT 125 AGG*	2025-02-21	2028-02-21	1, 2, 3, 4, 5, 6, 7
CT 125 HMA*	2025-02-21	2028-02-21	1, 2, 3, 4, 5, 6, 7	CT 306 *	2025-02-21	2028-02-21	4, 6, 7

### Associated laboratories:

1: RSP #73, Vulcan Materials Company - Irwindale Laboratory, 16009 East Foothill Boulevard, Irwindale	2: RSP #301, Vulcan Materials Company - Satcoy, 6029 Vineyard Avenue, Oxnard	3: RSP #485, Vulcan Materials Company - Sun Valley, 11401 Tuxford Avenue, Sun Valley	4: RSP #246, Vulcan Materials Company - Corona, 1709 Sherborn Street, Corona	5: RSP #642, Vulcan Materials Company - Oro Grande Laboratory, 20181 National Trails Highway, Oro Grande	6: RSP #1755, Vulcan Materials Company - Palmdale, 6851 East Avenue T, Litterock	7: RSP #355, Vulcan Materials Company - Santa Ana Field Laboratory, 1401 East Warner Avenue, Santa Ana
---	--	--	--	--	--	--

Date issued: 06/30/2025

IA Staff name

IA Number

Signature

Note: This certificate is valid provided that the technician complies with applicable requirements of the Caltrans Independent Assurance Manual. Please verify technician certifications and laboratory associations by visiting the SIAD website at <https://sia.dot.ca.gov/>