



CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0111: TECHNICIAN CERTIFICATION

In conformance with the Caltrans Independent Assurance (IA) Manual, IA Staff presents this certificate to:

Daniel Miltz

Technician ID: 03880

Certified test methods: CT = Caltrans : AA = AASHTO : AS = ASTM : * JTCP Test Method

Test Method	Obtained Date	Expiration Date	Associated Laboratory	Test Method	Obtained Date	Expiration Date	Associated Laboratory
AA T11 *	2025-04-02	2028-04-02	1	AA T27 *	2025-04-02	2028-04-02	1
AA T30 *	2025-04-02	2028-04-02	1	AA R47 *	2025-04-02	2028-04-02	1
AA R76 *	2025-04-02	2028-04-02	1	AA T84	2024-05-23	2026-05-23	1
AA T85	2024-05-23	2026-05-23	1	AA T96	2024-10-23	2026-10-23	1
AA T166 *	2025-01-22	2028-01-22	1	AA T176 *	2025-04-02	2028-04-02	1
AA T209 *	2025-01-22	2028-01-22	1	AA T255 *	2025-04-02	2028-04-02	1
AA T269 *	2025-01-22	2028-01-22	1	AA T275 *	2025-01-22	2028-01-22	1
AA T304	2024-05-23	2026-05-23	1	AA T308 *	2025-01-22	2028-01-22	1
AA T312	2024-05-23	2026-05-23	1	AA T329 *	2025-04-02	2028-04-02	1
AA T335 *	2025-04-02	2028-04-02	1	CT 125 AGG*	2025-06-20	2028-06-20	1
CT 125 HMA*	2025-04-02	2028-04-02	1	CT 201 *	2025-06-20	2028-06-20	1
CT 202 *	2025-06-20	2028-06-20	1	CT 205 *	2025-06-20	2028-06-20	1
CT 206	2024-05-23	2026-05-23	1	CT 207	2024-05-23	2026-05-23	1
CT 211	2024-10-23	2026-10-23	1	CT 216 *	2025-06-20	2028-06-20	1
CT 217 *	2025-06-20	2028-06-20	1	CT 226 *	2025-06-20	2028-06-20	1
CT 227 *	2025-06-20	2028-06-20	1	CT 229 *	2025-06-20	2028-06-20	1
CT 231	2024-10-23	2026-10-23	1	CT 306 *	2025-04-02	2028-04-02	1
CT 375	2024-10-23	2026-10-23	1				

Associated laboratories:

1: RSP #576, Garco Testing Laboratories - Santa Clara, 3800 Bassett Street, Santa Clara

Date issued: 03/03/2026

IA Staff name

IA Number

Signature

Note: This certificate is valid provided that the technician complies with applicable requirements of the Caltrans Independent Assurance Manual. Please verify technician certifications and laboratory associations by visiting the SIAD website at <https://sia.dot.ca.gov/>