

# CALIFORNIA DEPARTMENT OF TRANSPORTATION

## TL-0111: TECHNICIAN CERTIFICATION

In conformance with the Caltrans Independent Assurance (IA) Manual, IA Staff presents this certificate to:

**Ikenna Ezeude**

Technician ID: 04632

Certified test methods: **CT = Caltrans : AA = AASHTO : AS = ASTM : \* JTCP Test Method**

Test Method	Obtained Date	Expiration Date	Associated Laboratory	Test Method	Obtained Date	Expiration Date	Associated Laboratory
AA T11 *	2023-11-17	2026-11-17	1, 2	AA T27 *	2023-11-17	2026-11-17	1, 2
AA R47 *	2023-11-17	2026-11-17	1, 2	AA T166 *	2023-09-15	2026-09-15	1, 2
AA T176 *	2023-11-17	2026-11-17	1, 2	AA T209 *	2023-09-15	2026-09-15	1, 2
AA T255 *	2023-11-17	2026-11-17	1	AA T269 *	2023-09-15	2026-09-15	1, 2
AA T275 *	2023-09-15	2026-09-15	1, 2	AA T308 *	2023-09-15	2026-09-15	1, 2
AA T329 *	2023-11-17	2026-11-17	1, 2	CT 105 *	2024-01-05	2027-01-05	1, 2
CT 125 AGG*	2023-11-17	2026-11-17	1, 2	CT 125 HMA*	2023-11-17	2026-11-17	1, 2
CT 201 *	2024-01-05	2027-01-05	1, 2	CT 202 *	2024-01-05	2027-01-05	1, 2
CT 205 *	2024-01-05	2027-01-05	(No lab)	CT 216 *	2024-01-05	2027-01-05	1, 2
CT 217 *	2024-01-05	2027-01-05	1, 2	CT 226 *	2024-01-05	2027-01-05	1, 2
CT 227 *	2024-01-05	2027-01-05	1, 2	CT 229 *	2024-01-05	2027-01-05	2
CT 231	2024-11-25	2026-11-25	1, 2	CT 306 *	2023-11-17	2026-11-17	1, 2

**(No Lab):** Technician is not associated with a laboratory accredited to perform the test method identified.

### Associated laboratories:

1: RSP #38, CT D04 - Pleasanton Field Laboratory, 5675 Gibraltar Drive, Pleasanton	2: RSP #317, CT D04 - San Jose Field Laboratory, 1007 Knox Avenue, San Jose	3: RSP #DC4, CT D04 - Construction, ,
--	---	---------------------------------------

Date issued: 06/15/2026

IA Staff name

IA Number

Signature

Note: This certificate is valid provided that the technician complies with applicable requirements of the Caltrans Independent Assurance Manual. Please verify technician certifications and laboratory associations by visiting the SIAD website at <https://sia.dot.ca.gov/>