



CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0111: TECHNICIAN CERTIFICATION

In conformance with the Caltrans Independent Assurance (IA) Manual, IA Staff presents this certificate to:

Alonzo Montanez

Technician ID: 04730

Certified test methods: **CT = Caltrans : AA = AASHTO : AS = ASTM : * JTCP Test Method**

Test Method	Obtained Date	Expiration Date	Associated Laboratory	Test Method	Obtained Date	Expiration Date	Associated Laboratory
AA T11 *	2026-05-01	2029-05-01	1	AA T27 *	2026-05-01	2029-05-01	1
AA T30 *	2026-05-01	2029-05-01	(No lab)	AA R47 *	2026-05-01	2029-05-01	1
AA R76 *	2026-05-01	2029-05-01	1	AA T166 *	2025-10-23	2028-10-23	1
AA T176 *	2026-05-01	2029-05-01	1	AA T209 *	2025-10-23	2028-10-23	1
AA T255 *	2026-05-01	2029-05-01	1	AA T269 *	2025-10-23	2028-10-23	1
AA T275 *	2025-10-23	2028-10-23	1	AA T308 *	2025-10-23	2028-10-23	1
AA T329 *	2026-05-01	2029-05-01	1	AA T335 *	2026-05-01	2029-05-01	1
ASTM D8225-19 (BMD ILS)	2026-01-28	2027-01-28	1	ASTM D8360-22 (BMD ILS)	2026-01-28	2027-01-28	1
ASTM WK86870 (BMD ILS)	2026-01-28	2027-01-28	1	CT 105 *	2026-05-08	2029-05-08	1
CT 125 AGG*	2026-05-08	2029-05-08	1	CT 125 HMA*	2026-05-01	2029-05-01	1
CT 201 *	2026-05-08	2029-05-08	1	CT 202 *	2026-05-08	2029-05-08	1
CT 205 *	2026-05-08	2029-05-08	1	CT 216 *	2026-05-08	2029-05-08	1
CT 217 *	2026-05-08	2029-05-08	1	CT 226 *	2026-05-08	2029-05-08	1
CT 227 *	2026-05-08	2029-05-08	1	CT 229 *	2026-05-08	2029-05-08	1
CT 306 *	2026-05-01	2029-05-01	(No lab)				

(No Lab): Technician is not associated with a laboratory accredited to perform the test method identified.

Associated laboratories:

1: RSP #164, Granite Construction - Bradshaw, 4001 Bradshaw Road, Sacramento

Date issued: 05/22/2026

IA Staff name _____ IA Number _____ Signature _____

Note: This certificate is valid provided that the technician complies with applicable requirements of the Caltrans Independent Assurance Manual. Please verify technician certifications and laboratory associations by visiting the SIAD website at <https://sia.dot.ca.gov/>