

# CALIFORNIA DEPARTMENT OF TRANSPORTATION

## TL-0111: TECHNICIAN CERTIFICATION

In conformance with the Caltrans Independent Assurance (IA) Manual,  
IA Staff presents this certificate to:

**Dylan Nault**

Technician ID: 05329

Certified test methods: **CT = Caltrans : AA = AASHTO : AS = ASTM : \* JTCP Test Method**

| Test Method                       | Obtained Date | Expiration Date | Associated Laboratory | Test Method | Obtained Date | Expiration Date | Associated Laboratory |
|-----------------------------------|---------------|-----------------|-----------------------|-------------|---------------|-----------------|-----------------------|
| AA T11 *                          | 2025-06-13    | 2028-06-13      | 1, 2                  | AA T27 *    | 2025-06-13    | 2028-06-13      | 1, 2                  |
| AA T30 *                          | 2025-06-13    | 2028-06-13      | 2                     | AA R47 *    | 2025-06-13    | 2028-06-13      | 1, 2                  |
| AA R76 *                          | 2025-06-13    | 2028-06-13      | 1, 2                  | AA T166 *   | 2024-10-17    | 2027-10-17      | 2                     |
| AA T176 *                         | 2025-06-13    | 2028-06-13      | 1, 2                  | AA T209 *   | 2024-10-17    | 2027-10-17      | 1, 2                  |
| AA T255 *                         | 2025-06-13    | 2028-06-13      | 1, 2                  | AA T269 *   | 2024-10-17    | 2027-10-17      | 2                     |
| AA T275 *                         | 2024-10-17    | 2027-10-17      | 1, 2                  | AA T283     | 2025-01-21    | 2027-01-21      | 2                     |
| AA T308 *                         | 2024-10-17    | 2027-10-17      | 2                     | AA T324     | 2024-10-22    | 2026-10-22      | 2                     |
| AA T329 *                         | 2025-06-13    | 2028-06-13      | 1, 2                  | AA T335 *   | 2025-06-13    | 2028-06-13      | 2                     |
| CT 125 AGG*                       | 2025-04-25    | 2028-04-25      | 1, 2                  | CT 125 HMA* | 2025-06-13    | 2028-06-13      | 1, 2                  |
| CT 201 *                          | 2025-04-25    | 2028-04-25      | 1, 2                  | CT 202 *    | 2025-04-25    | 2028-04-25      | 1, 2                  |
| CT 205 *                          | 2025-04-25    | 2028-04-25      | 2                     | CT 216 *    | 2025-04-25    | 2028-04-25      | 1, 2                  |
| CT 217 *                          | 2025-04-25    | 2028-04-25      | 1, 2                  | CT 226 *    | 2025-04-25    | 2028-04-25      | 1, 2                  |
| CT 227 *                          | 2025-04-25    | 2028-04-25      | 1, 2                  | CT 229 *    | 2025-04-25    | 2028-04-25      | 2                     |
| CT 231                            | 2025-07-21    | 2026-07-21      | 1                     | CT 306 *    | 2025-06-13    | 2028-06-13      | 2                     |
| CT 371                            | 2025-01-21    | 2027-01-21      | 2                     | CT 389      | 2024-10-22    | 2026-10-22      | (No lab)              |
| CT 504 *                          | 2022-03-18    | 2027-03-18      | 1, 2                  | CT 518 *    | 2022-03-18    | 2027-03-18      | 1, 2                  |
| CT 523.1<br>Section B.1 &<br>B.2* | 2022-03-18    | 2027-03-18      | 1, 2                  | CT 524      | 2026-03-06    | 2027-03-06      | 1                     |
| CT 533                            | 2026-01-23    | 2027-01-23      | 1, 2                  | CT 539 *    | 2022-03-18    | 2027-03-18      | 1, 2                  |
| CT 540 *                          | 2022-03-18    | 2027-03-18      | 1, 2                  | CT 543 *    | 2022-03-18    | 2027-03-18      | (No lab)              |
| CT 552                            | 2026-01-23    | 2027-01-23      | 1                     | CT 556 *    | 2022-03-18    | 2027-03-18      | 2                     |
| CT 557 *                          | 2022-03-18    | 2027-03-18      | 1, 2                  |             |               |                 |                       |

**(No Lab):** Technician is not associated with a laboratory accredited to perform the test method identified.

**Associated laboratories:**

|   |  |
|---|--|
| 1: RSP #419, CT D08 - Fontana Field Construction Laboratory, 13970 Victoria Street, Fontana | 2: RSP #8, CT D08 - Fontana Southern Regional Laboratory, 13970 Victoria Street, Fontana |
|---|--|

Date issued: 06/27/2026

IA Staff name

IA Number

Signature

Note: This certificate is valid provided that the technician complies with applicable requirements of the Caltrans Independent Assurance Manual. Please verify technician certifications and laboratory associations by visiting the SIAD website at <https://sia.dot.ca.gov/>