



CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0111: TECHNICIAN CERTIFICATION

In conformance with the Caltrans Independent Assurance (IA) Manual, IA Staff presents this certificate to:

Joseph Padilla

Technician ID: 05945

Certified test methods: **CT = Caltrans : AA = AASHTO : AS = ASTM : * JTCP Test Method**

Test Method	Obtained Date	Expiration Date	Associated Laboratory	Test Method	Obtained Date	Expiration Date	Associated Laboratory
AA T11 *	2026-01-16	2029-01-16	1, 2, 3	AA T27 *	2026-01-16	2029-01-16	1, 2, 3
AA T30 *	2026-01-16	2029-01-16	(No lab)	AA R47 *	2026-01-16	2029-01-16	1, 2, 3
AA R76 *	2026-01-16	2029-01-16	1, 2, 3	AA T84	2024-09-13	2026-09-13	1, 2, 3
AA T85	2024-09-13	2026-09-13	1, 2, 3	AA T96	2024-09-27	2026-09-27	1, 2
AA T166 *	2025-11-05	2028-11-05	1, 2, 3	AA T176 *	2026-01-16	2029-01-16	1, 2, 3
AA T209 *	2025-11-05	2028-11-05	1, 2, 3	AA T210	2024-09-13	2026-09-13	1, 2, 3
AA T255 *	2026-01-16	2029-01-16	1, 2, 3	AA T269 *	2025-11-05	2028-11-05	1, 2, 3
AA T275 *	2025-11-05	2028-11-05	1, 2, 3	AA T283	2024-09-26	2026-09-26	1, 2, 3
AA T304	2024-09-13	2026-09-13	1, 2, 3	AA T308 *	2025-11-05	2028-11-05	1, 2, 3
AA T312	2024-09-13	2026-09-13	1, 2, 3	AA T324	2024-09-13	2026-09-13	1, 2
AA T329 *	2026-01-16	2029-01-16	1, 2, 3	AA T335 *	2026-01-16	2029-01-16	1, 2, 3
ASTM D4791	2024-09-13	2026-09-13	1, 2, 3	CT 105 *	2025-12-12	2028-12-12	1, 2, 3
CT 125 AGG*	2026-01-16	2029-01-16	1, 2, 3	CT 125 HMA*	2026-01-16	2029-01-16	1, 2, 3
CT 201 *	2025-12-12	2028-12-12	1, 2, 3	CT 202 *	2025-12-12	2028-12-12	1, 2, 3
CT 205 *	2025-12-12	2028-12-12	1, 2, 3	CT 206	2024-09-13	2026-09-13	1, 2, 3
CT 207	2024-09-13	2026-09-13	1, 2, 3	CT 211	2024-09-27	2026-09-27	1
CT 212	2024-09-27	2026-09-27	1, 2	CT 216 *	2025-12-12	2028-12-12	3
CT 217 *	2025-12-12	2028-12-12	1, 2, 3	CT 226 *	2025-12-12	2028-12-12	1, 2, 3
CT 227 *	2025-12-12	2028-12-12	1, 2, 3	CT 229 *	2025-12-12	2028-12-12	1, 2, 3
CT 234	2024-09-13	2026-09-13	1, 2, 3	CT 235	2024-09-13	2026-09-13	1, 2, 3
CT 304	2024-09-13	2026-09-13	1, 2, 3	CT 306 *	2026-01-16	2029-01-16	1, 2, 3
CT 366	2024-09-27	2026-09-27	1, 2, 3	CT 389	2024-09-13	2026-09-13	1, 2

(No Lab): Technician is not associated with a laboratory accredited to perform the test method identified.

Associated laboratories:

1: RSP #265, Gallagher & Burke (DeSilva Gates), 344 High Street, Oakland	2: RSP #552, DeSilva Gates Aggregates, 6527 Calaveras Road, Sunol	3: RSP #47, DeSilva Gates/Marysville, 4713 Hammonton Road, Marysville
--	---	---

Date issued: 06/15/2026

IA Staff name _____ IA Number _____ Signature _____

Note: This certificate is valid provided that the technician complies with applicable requirements of the Caltrans Independent Assurance Manual. Please verify technician certifications and laboratory associations by visiting the SIAD website at <https://sia.dot.ca.gov/>