

CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0111: TECHNICIAN CERTIFICATION

In conformance with the Caltrans Independent Assurance (IA) Manual,
IA Staff presents this certificate to:

Jaime Mazza

Technician ID: 07361

Certified test methods: **CT = Caltrans : AA = AASHTO : AS = ASTM : * JTCP Test Method**

| Test Method | Obtained Date | Expiration Date | Associated Laboratory | Test Method | Obtained Date | Expiration Date | Associated Laboratory |
|-----------------------------------|---------------|-----------------|-----------------------|-------------|---------------|-----------------|-----------------------|
| AA T11 * | 2026-01-16 | 2029-01-16 | 1, 2, 3, 4 | AA T27 * | 2026-01-16 | 2029-01-16 | 1, 2, 3, 4 |
| AA T30 * | 2026-01-16 | 2029-01-16 | (No lab) | AA R47 * | 2026-01-16 | 2029-01-16 | (No lab) |
| AA R76 * | 2026-01-16 | 2029-01-16 | (No lab) | AA T166 * | 2026-03-26 | 2029-03-26 | (No lab) |
| AA T176 * | 2026-01-16 | 2029-01-16 | 1, 2, 3, 4 | AA T209 * | 2026-03-26 | 2029-03-26 | 1 |
| AA T255 * | 2026-01-16 | 2029-01-16 | (No lab) | AA T269 * | 2026-03-26 | 2029-03-26 | (No lab) |
| AA T275 * | 2026-03-26 | 2029-03-26 | 1, 2 | AA T308 * | 2026-03-26 | 2029-03-26 | 1 |
| AA T329 * | 2026-01-16 | 2029-01-16 | (No lab) | AA T335 * | 2026-01-16 | 2029-01-16 | (No lab) |
| CT 125 AGG* | 2026-01-09 | 2029-01-09 | 1, 2, 3, 4 | CT 125 HMA* | 2026-01-16 | 2029-01-16 | 1, 2, 3, 4 |
| CT 201 * | 2026-01-09 | 2029-01-09 | 1, 2, 3, 4 | CT 202 * | 2026-01-09 | 2029-01-09 | 1, 2, 3, 4 |
| CT 205 * | 2026-01-09 | 2029-01-09 | (No lab) | CT 216 * | 2026-01-09 | 2029-01-09 | 1, 2, 3, 4 |
| CT 217 * | 2026-01-09 | 2029-01-09 | 1, 2, 3, 4 | CT 226 * | 2026-01-09 | 2029-01-09 | 1, 2, 3, 4 |
| CT 227 * | 2026-01-09 | 2029-01-09 | 1, 2, 3, 4 | CT 229 * | 2026-01-09 | 2029-01-09 | 1, 2, 3, 4 |
| CT 231 | 2026-02-12 | 2027-02-12 | 1, 2, 3, 4 | CT 306 * | 2026-01-16 | 2029-01-16 | (No lab) |
| CT 504 * | 2026-04-16 | 2031-04-16 | 1, 2 | CT 518 * | 2026-04-16 | 2031-04-16 | 1, 2 |
| CT 521.2 | 2025-10-08 | 2026-10-08 | (No lab) | CT 521.1 | 2025-10-08 | 2026-10-08 | (No lab) |
| CT 523.1 Section B.1 & B.2* | 2026-04-16 | 2031-04-16 | 1, 2 | CT 539 * | 2026-04-16 | 2031-04-16 | 1, 2 |
| CT 540 * | 2026-04-16 | 2031-04-16 | 1, 2 | CT 543 * | 2026-04-16 | 2031-04-16 | (No lab) |
| CT 556 * | 2026-04-16 | 2031-04-16 | 1, 2 | CT 557 * | 2026-04-16 | 2031-04-16 | 1, 2 |

(No Lab): Technician is not associated with a laboratory accredited to perform the test method identified.

Associated laboratories:

| | | | |
|--|---|---|--|
| 1: RSP #401, CT D10 - Cherokee Field Laboratory, 3256 Tomahawk Drive, Stockton | 2: RSP #426, CT D10 - Merced Field Laboratory, 1801 Motel Drive, Merced | 3: RSP #509, CT D10 - Sonora Field Laboratory, 19596 Mono Way, Sonora | 4: RSP #1719, CT D10 - Lone Field Laboratory, 315 Depot Road, Lone |
|--|---|---|--|

Date issued: 06/12/2026

IA Staff name

IA Number

Signature

Note: This certificate is valid provided that the technician complies with applicable requirements of the Caltrans Independent Assurance Manual. Please verify technician certifications and laboratory associations by visiting the SIAD website at <https://sia.dot.ca.gov/>