CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0111: TECHNICIAN CERTIFICATION

In conformance with the Caltrans Independent Assurance (IA) Manual,
IA Staff presents this certificate to:

Pardeep Thandi

Technician ID: 07394

Certified test methods: **CT = Caltrans : AA = AASHTO : AS = ASTM : * JTCP Test Method**

Test Method	Obtained Date	Expiration Date	Associated Laboratory		Test Method	Obtained Date	Expiration Date	Associated Laboratory
AA T11 *	2026-02-13	2029-02-13	(No lab)		AA T27 *	2026-02-13	2029-02-13	(No lab)
AA T30 *	2026-02-13	2029-02-13	(No lab)		AA R47 *	2026-02-13	2029-02-13	(No lab)
AA R76 *	2026-02-13	2029-02-13	(No lab)		AA T166 *	2026-04-16	2029-04-16	(No lab)
AA T176 *	2026-02-13	2029-02-13	(No lab)		AA T209 *	2026-04-16	2029-04-16	(No lab)
AA T255 *	2026-02-13	2029-02-13	(No lab)		AA T269 *	2026-04-16	2029-04-16	(No lab)
AA T275 *	2026-04-16	2029-04-16	(No lab)		AA T308 *	2026-04-16	2029-04-16	(No lab)
AA T329 *	2026-02-13	2029-02-13	(No lab)		AA T335 *	2026-02-13	2029-02-13	(No lab)
CT 105 *	2025-10-24	2028-10-24	(No lab)		CT 125 AGG*	2026-02-13	2029-02-13	(No lab)
CT 125 BIT	2026-02-03	2027-02-03	(No lab)		CT 125 CEM	2026-02-03	2027-02-03	(No lab)
CT 125 HMA*	2026-02-13	2029-02-13	(No lab)		CT 201 *	2025-10-24	2028-10-24	(No lab)
CT 202 *	2025-10-24	2028-10-24	(No lab)		CT 205 *	2025-10-24	2028-10-24	(No lab)
CT 216 *	2025-10-24	2028-10-24	(No lab)		CT 217 *	2025-10-24	2028-10-24	(No lab)
CT 226 *	2025-10-24	2028-10-24	(No lab)		CT 227 *	2025-10-24	2028-10-24	(No lab)
CT 229 *	2025-10-24	2028-10-24	(No lab)		CT 306 *	2026-02-13	2029-02-13	(No lab)
CT 504 *	2026-06-11	2031-06-11	(No lab)		CT 518 *	2026-06-11	2031-06-11	(No lab)
CT 521.2	2026-02-03	2027-02-03	(No lab)		CT 523.1 Section B.1 & B.2*	2026-06-11	2031-06-11	(No lab)
CT 523.2 Section B.3	2026-02-03	2027-02-03	(No lab)		CT 524	2026-02-03	2027-02-03	(No lab)
CT 533	2026-02-03	2027-02-03	(No lab)		CT 539 *	2026-06-11	2031-06-11	(No lab)
CT 540 *	2026-06-11	2031-06-11	(No lab)		CT 543 *	2026-06-11	2031-06-11	(No lab)
CT 556 *	2026-06-11	2031-06-11	(No lab)		CT 557 *	2026-06-11	2031-06-11	(No lab)

(No Lab): Technician is not associated with a laboratory accredited to perform the test method identified.

Associated laboratories:

1: RSP #DC6, CT D06 - Construction, ,

Date issued: 11/15/2026

IA Staff name IA Number Signature

Note: This certificate is valid provided that the technician complies with applicable requirements of the Caltrans Independent Assurance Manual. Please verify technician certifications and laboratory associations by visiting the SIAD website at https://sia.dot.ca.gov/