



CALIFORNIA DEPARTMENT OF TRANSPORTATION

TL-0111: TECHNICIAN CERTIFICATION

In conformance with the Caltrans Independent Assurance (IA) Manual, IA Staff presents this certificate to:

Pedro Corona

Technician ID: 07452

Certified test methods: **CT = Caltrans : AA = AASHTO : AS = ASTM : * JTCP Test Method**

Test Method	Obtained Date	Expiration Date	Associated Laboratory	Test Method	Obtained Date	Expiration Date	Associated Laboratory
AA R47 *	2026-02-13	2029-02-13	(No lab)	AA R76 *	2026-02-13	2029-02-13	(No lab)
AA T166 *	2026-02-26	2029-02-26	1	AA T176 *	2026-02-13	2029-02-13	1
AA T209 *	2026-02-26	2029-02-26	1	AA T255 *	2026-02-13	2029-02-13	(No lab)
AA T275 *	2026-02-26	2029-02-26	1	AA T308 *	2026-02-26	2029-02-26	1
AA T329 *	2026-02-13	2029-02-13	1	AA T335 *	2026-02-13	2029-02-13	(No lab)
CT 125 AGG*	2026-02-13	2029-02-13	1	CT 125 HMA*	2026-02-13	2029-02-13	1
CT 201 *	2026-01-09	2029-01-09	1	CT 216 *	2026-01-09	2029-01-09	1
CT 217 *	2026-01-09	2029-01-09	1	CT 226 *	2026-01-09	2029-01-09	1
CT 227 *	2026-01-09	2029-01-09	1	CT 229 *	2026-01-09	2029-01-09	(No lab)
CT 306 *	2026-02-13	2029-02-13	1	CT 504 *	2026-01-29	2031-01-29	1
CT 518 *	2026-01-29	2031-01-29	(No lab)	CT 523.1 Section B.1 & B.2*	2026-01-29	2031-01-29	1
CT 539 *	2026-01-29	2031-01-29	1	CT 540 *	2026-01-29	2031-01-29	1
CT 543 *	2026-01-29	2031-01-29	(No lab)	CT 556 *	2026-01-29	2031-01-29	(No lab)
CT 557 *	2026-01-29	2031-01-29	(No lab)				

(No Lab): Technician is not associated with a laboratory accredited to perform the test method identified.

Associated laboratories:

1: RSP #332, CT D05 - Prunedale Construction, 8115 Prunedale North Road, Prunedale

Date issued: 06/15/2026

IA Staff name

IA Number

Signature

Note: This certificate is valid provided that the technician complies with applicable requirements of the Caltrans Independent Assurance Manual. Please verify technician certifications and laboratory associations by visiting the SIAD website at <https://sia.dot.ca.gov/>